

PureGlow
PASSION IN DESIGN



Fire & Fireplace Collection

2022 1ST EDITION

FEATURING THE


COURT'S
collection



Welcome

The perfect fireplace is one that suits the way you live. It is the beating heart of the household, the centrepiece that embodies spirit, style and the soul of the home.

For over 60 years PureGlow have been designing and manufacturing high quality handcrafted products. The range encompasses the most exclusive gas & electric fires and includes a superb collection of fire surrounds. It is also home to the Courts Collection which offers an exclusive range of handpicked fires and fireplaces that effortlessly blends superior quality with elegant styling.

Whether you are simply swapping an existing fireplace or creating something new you will find a range of solutions within the collection.

Contents

Fireplace Suites & Surrounds	4
Chaddesley	6
Cleobury	7
Drayton	8
Hanley	9-12
Harvington	13
Himley	14
Kingsford	15
Omersley	16
Stanford	17-19
Stretton	20
Whitton	21
Wenlock	22
Westbury	23-24
Complete Fireplace Suites	26
Chelsea Gas Drayton	28
Chelsea Gas Hanley	29
Chelsea 750VS Electric Hanley	30-32
Chelsea 750VS Himley	33



Chelsea 750VS Wenlock	34
Chelsea 400 Electric XP10	35
Chelsea 400 Electric XP20	36
Chelsea 400 Electric XP30	37

Fire Options	38
Cast Inserts	40
Flueless Gas Fires	42
Gas Fire Options	44
Electric Fire Options	50

Surround Dimensions	56
Gas Fire Specifications	59
Electric Fire Specifications	63
Flue Types	66
General Information	67







Fireplace Suites & Surrounds

Whatever the style of your home or personal taste you are certain to find a PureGlow fire surround or suite that suits your space and taste.

Provide warmth and character to any home with one of our beautiful surrounds or suites in a selection of traditional or contemporary styles in a great range of finishes and colours from on-trend grey hues, to traditional limestone.

Choose between one of our surrounds that provide the perfect frame to complement your choice of fire, or our fireplace suites which come complete with a back panel or slip set, surround and hearth, simply add your appliance.

All the suites work in conjunction with our extensive range of gas and electric appliances.

Suite Pictured:

54" Hanley suite in Portuguese limestone featuring a Juliet full polished Illusion electric® log fire, 48" also available.

Chaddesley

57" Aegean Limestone Surround with Marble Inlays


COURT'S
collection

Fireplace Suites & Surrounds



Cleobury

48" Natural Oak Finish Surround with LED Downlights

Also available in 54"



Drayton

50" Portuguese Limestone Suite

Also available with LED Downlights

Fireplace Suites & Surrounds



Hanley

54" White and Grey Paint Surround featuring LED Downlights

48" surround also available



Hanley

54" Grey Paint Finish Surround with LED Downlights

48" surround also available

Fireplace Suites & Surrounds



Hanley

54" Grey Paint Finish Surround & Oak Shelf with LED Downlights

48" surround also available



Fireplace Suites & Surrounds

Featured with Juliet Illusion electric® log fire in highlight finish and Perla Roma back & hearth

Hanley

54" Natural Oak Finish Surround with LED Downlights

48" surround also available

Fireplace Suites & Surrounds



Harvington

54" Portuguese Limestone Suite



Fireplace Suites & Surrounds

Featured with a Churchill gas coal fire with chrome trim

Himley

58" Aegean Limestone Surround


COURT'S
collection

Fireplace Suites & Surrounds



Kingsford

48" Portuguese Limestone Suite



Fireplace Suites & Surrounds

Featured with an Annabelle gas coal fire

Ombersley

58" Aegean Limestone Surround


COURT'S
collection



Fireplace Suites & Surrounds

Stanford

54" Grey Paint Surround featuring LED Downlights

48" surround also available



Stanford

54" White Paint Finish Surround with LED Downlights

48" surround also available

Fireplace Suites & Surrounds



Stanford

54" Natural Oak Finish Surround featuring LED Downlights

48" surround also available



Fireplace Suites & Surrounds

Featured with Chelsea 400 Daisy electric fire in brass finish and black granite back & hearth

Stretton

48" Natural Oak Finish Surround



Whitton

54" Natural Oak Finish Surround

48" surround also available



Wenlock

54" Aegean Limestone Surround


COURT'S
collection



Fireplace Suites & Surrounds

Westbury

54" White Mist Surround with Grey Slate Inlay Finish

Featuring LED Downlights. 48" surround also available



Fireplace Suites & Surrounds

Featured with Carmen Illusion electric® log fire in full polished finish and black granite back & hearth

Westbury

54" Natural Oak Finish Surround

48" surround also available


COURT'S
collection

Fireplace Suites & Surrounds





Stunning high quality

MATERIALS

TRANSFORM

your home







Complete Fireplace Suites

If you are looking for a fireplace with a contemporary look our complete fireplace suites give you the opportunity to create the perfect centrepiece for your home with all the components included.

Complete Suite Pictured:
Chelsea 750VS electric appliance, 54" Hanley white & grey paint finish surround and honed granite slip set & hearth

Chelsea Gas Drayton Complete Fireplace Suite



Complete Fireplace Suites

Chelsea Gas Hanley Complete Fireplace Suite



Complete Fireplace Suites

Consists of; Chelsea Tall frameless gas log fire, 54" Hanley Portuguese limestone surround, hearth & slip set

Chelsea 750VS Electric Hanley Grey Complete Fireplace Suite


COURT'S
collection



Complete Fireplace Suites

Chelsea 750VS Electric Hanley Limestone Complete Fireplace Suite



Complete Fireplace Suites

Consists of; Chelsea 750VS electric appliance, 54" Hanley limestone surround & Portuguese limestone slip set & hearth

Chelsea 750VS Hanley White & Grey Complete Fireplace Suite


COURT'S
collection



Complete Fireplace Suites



Chelsea 750VS Himley Limestone Complete Fireplace Suite



Complete Fireplace Suites

Consists of; Chelsea 750VS electric appliance, Himley limestone surround & honed granite slip set & hearth

Chelsea 750VS Wenlock Limestone Complete Fireplace Suite


COURT'S
collection



Complete Fireplace Suites

Chelsea 400 Electric XP10 Complete Fireplace Suite



Complete Fireplace Suites

Consists of; Chelsea 400 electric appliance with chrome/black nickel overlay trim & XP10 white mist surround with grey slate inlay finish

Chelsea 400 Electric XP20 Complete Fireplace Suite

Complete Fireplace Suites



Chelsea 400 Electric XP30 Complete Fireplace Suite



Complete Fireplace Suites

Consists of; Chelsea 400 electric in brushed steel/chrome overlay trim & XP30 white mist surround with grey slate inlay finish





Fire Options

Whether you are designing a traditional living space from a blank canvas or simply looking to replace your fire there is a selection of traditional and contemporary fires to choose from.

The collection offers a selection of cast iron inserts, flueless fires and a range of gas and electric insets which provide the perfect blend of elegant styling and energy efficiency.

The chimney featured in your home may determine the type of fire you install. The collection offers a range suitable for all situations. Please refer to page 70 to identify which is best for you.

Gas and electric fires have very distinctive flame and aesthetic qualities. A glance at the thumbnail images displayed here should help you appreciate the style of each before making your choice.

Pictured:

54" Stanford surround in grey paint finish including LED downlights. Featured with Chelsea 400 inset electric fire with chrome/black nickel overlay trim and Perla Roma back & hearth

Cast Inserts

We offer a selection of traditionally styled cast iron inserts to choose from. These intricately detailed casts are manufactured to the highest standards. The quality and detail shown here is second to none. Not only is the casting quality first class, the finishing processes are carried out by highly skilled craftsmen.

The collection also features a range of higher performing gas fires. These design-led fireplaces have taken the styling of the traditional insert combined with modern patented gas fires to produce one of the most authentic looking products currently available.





Langley

Decorative Gas Fire in highlight

Also available as a solid fuel option



Lytton

Open-fronted Higher Performing Gas
Convactor in highlight

Also available in open-fronted &
glass-fronted options



Jubilee

Glass-fronted Higher Performing Gas
Convactor in highlight

Also available in open-fronted &
glass-fronted options



Juliet

Higher Performing Gas Convactor in
highlight

Also available in open-fronted &
glass-fronted options



Flueless Gas Fires

The collection offers two flueless gas fire options with no requirement for a chimney utilising the benefits of modern catalytic technology. These fires are manufactured from high quality castings and are available in a variety of finishes. As no chimney or flue is required all the heat remains in the room giving the fires lower running costs and 100% efficiency ratings.





Novo 600
Flueless Gas Stove
Black with standard arched door



Novo 600
Flueless Gas Stove
Black with lattice featured arched door



Novo 600
Flueless Gas Stove
White with standard arched door



Novo 600
Flueless Gas Stove
White with lattice featured arched door



Novo 400
Flueless Gas Fire
Full polished



Novo 400
Flueless Gas Fire
Graphite

Gas Fires



PureGlow offer a stunning range of gas fires for all tastes, ranging from traditional insets to the more contemporary frameless and hole-in-the wall styles.

Our fires come in a range of frame options and colours, so there is bound to be one that is perfect for you.

Gas Appliance Features

- Radiant or Convector Heat
- Full depth or slimline
- Manual or slide control
- Coal or pebble or log fuel bed options
- Unique cast frame designs
- Contemporary frames

Fuel beds available for gas:



Coal



Log



Pebble

Radiant Gas Fires



Annabelle
Radiant Gas
Highlighted



Bauhaus
Radiant Gas
Polished



Bauhaus
Radiant Gas
Antique brass



Blenheim
Radiant Gas
Chrome

Radiant Gas Fires



Blenheim
Radiant Gas
Antique brass



Carmen
Radiant Gas
Black



Carmen
Radiant Gas
Full polished



Carmen Hole-in-the-wall
Radiant Gas
Black



Carmen Hole-in-the-wall
Radiant Gas
Full polished



Charlotte
Radiant Gas
Satin brushed



Churchill
Radiant Gas
Black & brass



Churchill
Radiant Gas
Black & chrome



Chloe
Radiant Gas
Highlight



Chloe
Radiant Gas
Black



Chloe
Radiant Gas
Full polished



Daisy
Radiant Gas
Chrome (also available in satin)



Daisy
Radiant Gas
Antique brass



Grace
Radiant Gas
Chrome (also available in satin)



Grace
Radiant Gas
Brass



Juliet
Radiant Gas
Black



Juliet
Radiant Gas
Highlight



Juliet
Radiant Gas
Full polished



Juliet
Radiant Gas
Brass



Media
Radiant Gas
Chrome (also available in satin)



Media
Radiant Gas
Antique brass



Sienna
Radiant Gas
Satin brushed



Zara
Radiant Gas
Graphite



Zara
Radiant Gas
Full polished

Convector Gas Fires



Freya
Convactor Gas Open Fronted
Gold



Freya
Convactor Gas Open Fronted
Black



Freya
Convactor Gas Glass Fronted
Chrome



Freya
Convactor Gas Glass Fronted
Gun Metal





Elegant &
EFFICIENT

Contemporary & Traditional
TRIMS



Electric Fires



Choose between the new Chelsea 400 electric inset or the Illusion Electric®. Both appliances embody the ambiance of a real fire.

The Illusion electric offers a choice of log or coal high definition fuel beds which enhances the unique full depth flame picture, whilst the Chelsea 400 offers the latest colourway technology and comes complete with 4 interchangeable fuel beds allowing you to swap them as your tastes change.



Illusion Electric features:

- ECO Design Compliant
- Multi-functional remote control
- High definition log or coal fuel bed
- Dimmable LED flame effect
- Slimline fit 75mm depth
- Electronic room temperature control
- 7 day 24 hour programmable timer
- Adaptive start control — open window detection
- Spacing kits Available

Fuel beds options for the Illusion Electric:



Coal



Log

Chelsea 400 Electric features:

- ECO Design Compliant
- Infrared remote control with LCD display
- Four different fuel beds included – logs, coals, pebbles, crystals
- RGB colour changing flame effect and fuel bed
- Thermostatic control
- Adaptive start control — open window detection
- Spacing kits Available

Fuel beds included with the Chelsea 400:



Illusion Electric Fires



Annabelle
Illusion Electric
Highlight



Bauhaus
Illusion Electric
Polished



Bauhaus
Illusion Electric
Antique brass



Blenheim
Illusion Electric
Chrome



Blenheim
Illusion Electric
Brass



Carmen
Illusion Electric
Full polished



Carmen
Illusion Electric
Black



Carmen Hole-in-the-wall
Illusion Electric
Full polished



Carmen Hole-in-the-wall
Illusion Electric
Black



Chloe
Illusion Electric
Highlighted



Chloe
Illusion Electric
Black



Chloe
Illusion Electric
Full polished



Daisy
Illusion Electric
Chrome



Daisy
Illusion Electric
Brass



Grace
Illusion Electric
Chrome (also available in satin)



Grace
Illusion Electric
Brass



Freya
Illusion Electric
Black



Freya
Illusion Electric
Brass



Freya
Illusion Electric
Chrome



Freya
Illusion Electric
Gun metal



Juliet
Illusion Electric
Highlighted



Juliet
Illusion Electric
Black



Juliet
Illusion Electric
Full polished



Juliet
Illusion Electric
Brass



Media
Illusion Electric
Chrome



Media
Illusion Electric
Antique brass



Zara
Illusion Electric
Graphite



Zara
Illusion Electric
Full polished

Chelsea 400 Inset Electric Fires



Chelsea 400
Grace Inset Electric Fire
Brass finish



Chelsea 400
Daisy Inset Electric Fire
Antique brass finish



Chelsea 400
Daisy Inset Electric Fire
Brass finish



Chelsea 400
Media Inset Electric Fire
Brass finish



Chelsea 400
Inset Electric Fire
Chrome/black nickel overlay trim



Chelsea 400
Inset Electric Fire
Brushed steel/chrome overlay trim



Heat up your
LIVING SPACE


Add warmth &
CHARACTER





Surround Dimensions

Dimensions are shown here in millimeters. Please note that overall heights do not include depth of hearth.




Hanley

Portuguese limestone

54"

3" rebate




Hanley

Natural oak finish
Grey paint with oak shelf
White & grey paint
Grey paint finish

54"

1-3" rebate




Harvington

Portuguese limestone

54"

3" rebate




Himley

Aegean limestone

58"

3" rebate




Kingsford

Portuguese limestone

48"

3" rebate




Omersley

Aegean limestone

58"

3" rebate




Stanford

Natural oak finish
White paint
Grey paint

48"

1-3" rebate




Stanford

Natural oak finish
White paint
Grey paint

54"

1-3" rebate




Stretton

Natural oak finish

48"

1-3" rebate




Wenlock

Aegean limestone

54"

3" rebate




Westbury

Natural oak finish with walnut
finish inlays
White mist with grey slate inlay

48"

1-3" rebate




Westbury

Natural oak finish with
walnut finish inlays
White mist with grey slate inlay

54"

1-3" rebate




Whitton

Natural oak finish

48"

1-3" rebate




Whitton

Natural oak finish

54"

1-3" rebate




XP10

White mist surround with grey slate inlay finish

50"

1-3" rebate




XP20

White mist surround with grey slate inlay finish

48"

1-3" rebate




XP30

White mist surround with grey slate inlay finish

48"

1-3" rebate




Gas Fire Specifications

Dimensions are shown here in millimeters.

Annabelle/Chloe/Juliet

Radiant Gas Fire




TYPE	NG - Class 1 (full depth) NG - Class 2 (slimline)
CONTROL	Manual or fingerslide class 1 only
OUTPUT	Class 1: 3.5kW Class 2: 3.2kW
FUEL BED OPTION	Coal or Pebble or Log
OPENING DIMENSIONS	Class 1: Height min 540 max 575 Width min 375 max 450 Class 2: Height min 540 max 575 Width min 350 max 450

*Spigot outlet is 560mm high. It fits in the gather at the top of the fireplace when fitted. Modifications to the opening must be to a minimum height of 560mm.

Bauhaus/Blenheim/Daisy/Grace/Media

Radiant Gas Fire




TYPE	NG - Class 1 (full depth) NG - Class 2 (slimline)
CONTROL	Manual
OUTPUT	Class 1: 3.5kW Class 2: 3.2kW
FUEL BED OPTION	Coal or Pebble
OPENING DIMENSIONS	Class 1: Height min 540 max 575 Width min 375 max 450 Class 2: Height min 540 max 575 Width min 350 max 450

*Spigot outlet is 560mm high. It fits in the gather at the top of the fireplace when fitted. Modifications to the opening must be to a minimum height of 560mm.

Carmen (hole-in-the-wall)

Radiant Gas Fire




F

TYPE	NG - Class 1 (full depth) NG - Class 2 (slimline)
CONTROL	Manual
OUTPUT	Class 1: 3.5kW Class 2: 3.2kW
FUEL BED OPTION	Coal or Pebble
OPENING DIMENSIONS	Class 1: Height min 540 max 575 Width min 375 max 450 Class 2: Height min 540 max 575 Width min 350 max 450

*Spigot outlet is 560mm high. It fits in the gather at the top of the fireplace when fitted. Modifications to the opening must be to a minimum height of 560mm.

Carmen Inset

Radiant Gas Fire




F

TYPE	NG - Class 1 (full depth) NG - Class 2 (slimline)
CONTROL	Manual
OUTPUT	Class 1: 3.5kW Class 2: 3.2kW
FUEL BED OPTION	Coal or Pebble
OPENING DIMENSIONS	Class 1: Height min 540 max 575 Width min 375 max 450 Class 2: Height min 540 max 575 Width min 350 max 450

*Spigot outlet is 560mm high. It fits in the gather at the top of the fireplace when fitted. Modifications to the opening must be to a minimum height of 560mm.

Charlotte/Sienna

Radiant Gas Fire




F

TYPE	NG - Class 1 (full depth) NG - Class 2 (slimline)
CONTROL	Manual
OUTPUT	Class 1: 3.8kW Class 2: 3.1kW
FUEL BED OPTION	Coal or Pebble
OPENING DIMENSIONS	Class 1: Height min 550 max 570 Width min 400 max 430 Class 2: Height min 550 max 570 Width min 380 max 410

Chelsea Small

Built-in gas fire




C

TYPE	Chelsea Small - Natural Gas
CONTROL	Manual, IR Remote
OUTPUT	4.3kW
BACK BRICK EFFECT	Natural or Black Back
FUEL BED	Log

Chelsea Tall

Built-in gas fire




D

TYPE	Chelsea Tall - Natural Gas
CONTROL	Manual, IR Remote
OUTPUT	4.8kW
BACK BRICK EFFECT	Natural or Black Back
FUEL BED	Log

Churchill

Radiant Gas Fire




F

TYPE	NG - Class 1 (full depth)
CONTROL	Manual
OUTPUT	Class 1: 3.5kW
FUEL BED OPTION	Coal or Pebble
OPENING DIMENSIONS	Height min 540 max 575 Width min 375 max 450

*Spigot outlet is 560mm high. It fits in the gather at the top of the fireplace when fitted. Modifications to the opening must be to a minimum height of 560mm.

Freya Gas Glass fronted

Convactor Gas Fire




C

TYPE	Natural Gas - Class 1 (Full-depth)
CONTROL	Slide control
OUTPUT	Class 1 - 4.0kW
EFFICIENCY	85.5%
FUEL BED	Coal

Freya Gas Open fronted

Convactor Gas Fire



F

TYPE	Natural Gas - Class 1 (Full-depth) Natural Gas - Class 2 (Slimline) LPG - Class 1 (full depth)
CONTROL	Slide control
OUTPUT	Class 1 - 4.0kW Class 2 - 3.4kW
EFFICIENCY	Class 1 - 64% Class 2 - 61%
FUEL BED	Coal

Jubilee/Lytton

Higher Performing Cast Fire



Glass Fronted

E


Open Fronted

F

TYPE	Natural Gas - Class 1 (Full-depth) Natural Gas - Class 2 (Slimline) Balanced Flue
CONTROL	Manual
OUTPUT (OPEN FRONTED)	Class 1 - 3.9kW Class 2 - 3.3kW
OUTPUT (GLASS FRONTED)	Class 1 - 3.2kW Class 2 - 3.0kW
FUEL BED	Coal

Novo 400

Flueless Inset Gas Fire




A

TYPE	Flueless
CONTROL	Manual
OUTPUT	2.1kW
AIR VENT REQUIRED	100mm ²
FUEL BED	Coal

Novo 600

Flueless Gas Stove




A

TYPE	Flueless
CONTROL	Slide control
OUTPUT	2.8kW
AIR VENT REQUIRED	100mm ²
FUEL BED	Log

Zara

Radiant Gas Fire



F

TYPE	NG - Class 1 (full depth) NG - Class 2 (slimline)
CONTROL	Manual or fingerslide class 1 only
OUTPUT	Class 1: 3.5kW Class 2: 3.2kW
FUEL BED OPTION	Coal or Pebble
OPENING DIMENSIONS	Class 1: Height min 540 max 575 Width min 375 max 450 Class 2: Height min 540 max 575 Width min 350 max 450

*Spigot outlet is 560mm high. It fits in the gather at the top of the fireplace when fitted. Modifications to the opening must be to a minimum height of 560mm.




Electric Fire Specifications

Dimensions are shown here in millimeters.

Annabelle/Chloe/Juliet


Illusion Electric



TYPE	Illusion electric inset
CONTROL	Remote Control/Manual
OUTPUT	0.75kW / 1.5kW heater thermostatically controlled
EFFECT	LED Flame Effect
FUEL BED OPTION	Log or coal
OPENING DIMENSIONS	Height min 565 max 585 Width min 408 max 440

Bauhaus/Blenheim/Daisy/Grace/Media


Illusion Electric



TYPE	Illusion electric inset
CONTROL	Remote Control/Manual
OUTPUT	0.75kW / 1.5kW heater thermostatically controlled
EFFECT	LED Flame Effect
FUEL BED OPTION	Log or coal
OPENING DIMENSIONS	Height min 565 max 585 Width min 408 max 440

Carmen (hole-in-the-wall)


Illusion Electric



TYPE	Illusion electric inset
CONTROL	Remote Control/Manual
OUTPUT	0.75kW / 1.5kW heater thermostatically controlled
EFFECT	LED Flame Effect
FUEL BED OPTION	Log or coal
OPENING DIMENSIONS	Height min 565 max 585 Width min 408 max 440

Carmen Inset


Illusion Electric



TYPE	Illusion electric inset
CONTROL	Remote Control/Manual
OUTPUT	0.75kW / 1.5kW heater thermostatically controlled
EFFECT	LED Flame Effect
FUEL BED OPTION	Log or coal
OPENING DIMENSIONS	Height min 565 max 585 Width min 408 max 440

Chelsea 400


Inset Electric Fire



TYPE	Electric
CONTROL	Remote Control/Manual
OUTPUT	Up to 2kW
EFFECT	Multi-colourway innovative flame technology
FUEL BEDS INCLUDED	Pebbles, crystals, logs and coals
OPENING DIMENSIONS	Height min 550 max 580 width min 400 max 430

Chelsea 750VS


Electric Fire



TYPE	Electric
CONTROL	Remote Control/Manual
OUTPUT	Up to 1.5kW
EFFECT	Ultra Realistic LED Modulating
FUEL BED OPTION	Ultra Realistic High Definition Log

Freya


Illusion Electric



TYPE	Illusion electric inset
CONTROL	Remote Control/Manual
OUTPUT	0.75kW / 1.5kW heater thermostatically controlled
EFFECT	LED Flame Effect
FUEL BED OPTION	Log or coal
OPENING DIMENSIONS	Height min 565 max 585 Width min 408 max 440

Zara

Illusion Electric



TYPE	Illusion electric inset
CONTROL	Remote Control/Manual
OUTPUT	0.75kW / 1.5kW heater thermostatically controlled
EFFECT	LED Flame Effect
FUEL BED OPTION	Log or coal
OPENING DIMENSIONS	Height min 565 max 585 Width min 408 max 440




Flue Types

Modern houses often have no chimney and one option is a PureGlow flueless appliance or a balanced flue cast insert which have no requirements for a chimney.

Alternatively you can choose from our wide range of electric appliances which can be located in virtually any room in your home.

Class 1

These are commonly found in older houses (pre-1960) and are identifiable by a 7" (180mm) or greater diameter flue. Prior to installation of a new fireplace, an existing flue must be structurally sound and checked for blockages.



Class 2

Pre-fabricated

These are found either in an older house where the existing flue has been lined with a proprietary steel flue or in a newer house with a steel flue built in. Identifiable by a 5" (130mm) or greater diameter flue and a steel flue terminal.



Class 2

Pre-cast

Many newer properties that do not have chimneys are fitted with pre-cast flues made from hollow concrete or clay blocks. These travel vertically up through the cavity wall of the property to a ridge vent or metal flue terminal on the roof.



No chimney

Modern houses often have no chimney and one option is a PureGlow flueless appliance or a balanced flue cast insert which have no requirements for a chimney.

Alternatively you can choose from our wide range of electric appliances which can be located in virtually any room in your home.



Installation

Your PureGlow fireplace is made up of a number of different components and it is important to ensure that your installer has the necessary qualifications and experience to fit ALL the components of a fireplace.

All appliances are supplied with detailed, comprehensive installation and user instructions. All installations must be in accordance with the manufacturer's instructions, current building regulations and subsequent British standards. The installation should only be carried out by a qualified competent persons. Failure to comply with these requirements may render the appliance unsafe in the first instance, impede on the efficiency and serviceability of your appliance and ultimately invalidate any warranty.

All installers in order to satisfy the terms and conditions of our warranty must be registered with the appropriate regulating bodies as deemed by PureGlow. All gas installers within the UK must be registered with the Gas Safe Register. In the Republic of Ireland the Board Gais.

It is important that you retain all documentation following the installation as this will be required in order to activate the warranty if needed. The documentation should be supplied by building control following successful registration of each installation by the installer together with any commissioning certificates, benchmarks and service records completed in the rear of the installation manual.

No liability is accepted for problems caused by poor installation or misuse of our products.

All PureGlow products should be fully inspected prior to installation as no responsibility for re-fitting, repairs or redecoration can be accepted if defective products have been installed. If installing a PureGlow surround in conjunction with a fire not manufactured by PureGlow, please refer to the manufacturer for suitability.

General Information

All the images throughout this brochure are for illustrative purposes only and are as accurate as possible. Some natural materials may vary due to the nature of the products, but if the colour you require is critical then please consult your retailer before basing all your decisions on the colours shown here.

Some room sets may appear not to comply with the requirements of the latest building regulations, we would always advise that you check your proposal with your approved fitter before proceeding with any project. There are occasions when designs, or products are altered or discontinued without prior notice (a reserved right), so if you are about to set your heart on a particular fireplace, please consult your retailer before making that final commitment.

Before committing to a fireplace, please discuss your particular installation with your retailer who will provide expert advice and carry out a survey.

For cleaning, maintenance and Guarantee details please visit PureGlow.co.uk

Disclaimer

We reserve the right to change or withdraw details, prices or specifications without prior notice. Every effort has been made to ensure the accuracy of information in this brochure. All dimensions are given for your convenience and should only be used as a guide. Colour reproduction is as accurate as current printing methods allow. We cannot be held responsible for changes or matters outside our control.

PASSION IN DESIGN

PureGlow

www.pureglowltd.co.uk

Phone: 01384 893060

Fax: 01384 897728

Email: sales@pureglowltd.co.uk

FEATURING THE


COURT'S
collection